

Welcome to the
world of



INDO GERMAN
IND.

ISO 9001:2008
CERTIFIED COMPANY

Automobile Engine
Parts Reliability
in Service
Precise Accurate
And
Quality Product



Parts, Sales, Service. We have what you need!



VoLuMe 1st.

THE MODEL NUMBER, PART NUMBER & DESCRIPTION ARE USED
ONLY FOR THE PURPOSE OF IDENTIFICATION.

INDO GERMAN INDUSTRIES IS NOT RELATED TO OR SPONSORED
BY, ANY OF THE OEM MANUFACTURER FOR THESE PRODUCTS.

CaTaLoG 2012



Welcome to the Industry that sets highest standards of delivering best quality goods. The Company that prides itself in supplying products that inspire safe and accident free working.

Yes Dependable,

because you can depend on our products that will meet all your critical requirements. Products made in our ISO 9001:2008 certified manufacturing units. Dependable because we will supply on time every time,

Dependable because our innovations and inventions will not only supply goods but rather profits and long term brand value for our buyers.

The Most Difficult we do first, Impossible may take sometime

One of the simplest statements to understand, but one of the most challenging to implement. Through this statement we are inspiring people of every quarter.....by sending a strong message...

Customers... .. Give us difficult jobs; we will surely meet your needs. Give us Impossible Jobs, we will innovate and deliver in some time, BUT WE WILL DELIVER.... For Sure...

We offer full range of products listed on below pages. Below is the most popular part we offer from these to user.



CYLINDER LINER ®

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
BEDFORD	J6, 220, 330	103.175	DRY, FF	CHEVROLET / GMC	350	101.6	DRY, SF
BEDFORD	J6, 220, 330	103.175	DRY, SF	CHEVROLET / GMC	350	101.6	DRY, SF
BEDFORD	381	104.775	DRY, SF	CHEVROLET/GMC	153	98.425	DRY, SF
BEDFORD	292	98.425	DRY, FF	CHRYSLER	170, 198, 215 Slant 6	86.36	DRY, SF
BEDFORD	381	104.775	DRY, SF	CHRYSLER	245	95.25	DRY, SF
BEDFORD	381	104.775	DRY, SF	CHRYSLER	265, 318	99.314	DRY, SF
BEDFORD	381	104.775	DRY, SF	CITROEN	U25, M25, B25	93	DRY, FF
BEDFORD	381	104.775	DRY, SF	CLAYTON DEWANDRE	SC6	66.68	DRY, FF
BELARUS	MTZ 80	110	WET, FF	CONTINENTAL	Z120	85.75	WET, FF
BENDIX	TF 400	51.638	DRY, SF	CONTINENTAL	Z129, Z134	85.75	WET, FF
BENDIX	TF 500	62.738	DRY, SF	CUMMINS	V8210, V6155	117.475	WET, FF
BENDIX	TF 501	65.53	DRY, SF	CUMMINS	V8210, V6155	117.475	WET, FF
CASE	TRACTOR580 H	98.476	DRY, FF	CUMMINS	V555, VT225, VT225	117.48	WET, FF
CASE	TRACTOR4490	127.01	WET, FF	CUMMINS	3BT, 4BT, 6BT	102	DRY, SF
CATERPILLAR	D353, D379, D398, D399	158.75	WET, FF	CUMMINS	6CT 8.3	114	WET, FF
CATERPILLAR	D6, D334, 3304, 3306, D330, D333C, 3306D, 3306B, 167	120.65	WET, FF	CUMMINS	6CT 8.3	114	WET, FF
CATERPILLAR	3204	114.3	DRY, SF	CUMMINS	NT855, NH250	139.7	WET, FF
CATERPILLAR	D3116	105	DRY, SF	CUMMINS	NT855	139.7	WET, FF
CATERPILLAR	3406, 3408, 3412	137.16	WET, FF	CUMMINS	NT855, NTC475, N14	139.7	WET, FF
CATERPILLAR	3508, 3512, 3516	170.098	WET, FF	CUMMINS	LTA 10, L10	125	WET, FF
CATERPILLAR	D342C, 342T, 64, D386,	146.05	WET, FF	CUMMINS	LTA 10, L 10	125	WET, FF
CATERPILLAR	D330A, 955X, D4C, 955H, 951B, D4D, 944,	114.3	WET, FF	CUMMINS	KT 1150	158.75	WET, FF
CATERPILLAR		114.3	WET, FF	DAF	DNTD620	104.2	DRY, FF
CHEVROLET / GMC	350	101.6	DRY, SF	DAF	DF, DT, DTD 615	104.2	DRY, FF
CHEVROLET / GMC	350	101.6	DRY, SF	DAF	1160	130	DRY, FF

CYLINDER LINER ®

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
DAF	DH825, DHU825, DU825, DHTD825, HS200,, HT168, DKL	118	DRY, FF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAF	DKS, DKSE, DKXEDKA, DKDL, DKL, KT191, L210, WS222, WS225, WS259, WS282, WS295, WS315, W268	130	DRY, FF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAF	XD 3T	94	DRY, FF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAIHATSU	B	95	DRY, SF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAIHATSU	DG	88	DRY, FF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAIHATSU	DG	88	DRY, SF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAIHATSU	DL	92	DRY, FF	DETROIT DIESEL	71 SERIES	107.95	DRY, FF
DAIHATSU	DL	92	DRY, SF	DETROIT DIESEL	71 SERIES	107.95	WET, FF
DAIHATSU	4K	74.981	DRY, SF	DETROIT DIESEL	S50, S60	130	WET, FF
DAIHATSU	5R	87.3	DRY, SF	DETROIT DIESEL	S50, S60	130	WET, FF
DAIHATSU	12R	80.5	DRY, SF	DEUTZ	FL 912	100	AIR COOLED
DAIHATSU	1Y, 2Y	85.725	DRY, SF	DEUTZ	FL913	102	AIR COOLED
DATSUN	1200	73	DRY, SF	FIAT	8140.27	93	DRY, SF
DATSUN	1300	75	DRY, SF	FIAT	8140.27	93	DRY, FF
DATSUN	1300	75	DRY, SF	FIAT	8140.27	93	DRY, SF
DATSUN	1300	75	DRY, SF	FIAT	8140.23, IVECO DAILY	94.4	DRY, SF
DATSUN	1300L	75	DRY, SF	FIAT	8361.45	115	WET, FF
DAVID BROWN	AD3/55, AD4/55, AD3/49, AD4/49,	100.046	DRY, SF	FIAT	8031.04	103	DRY, SF
DAVID BROWN	AD4, 47	92.07	WET, FF	FIAT	8040.04, 8060.04,8060.24	103	DRY, SF
DETROIT DIESEL	GM 53	98.425	WET, FF	FIAT	8060.24	103	DRY, FF
DETROIT DIESEL	GM 53	98.425	WET, FF	FIAT	8031.04, 8035.04, 8040.04	103	DRY, SF
DETROIT DIESEL	92 SERIES	122.936	WET, FF	FIAT	8060.24,8031.04.8035.04	103	DRY, SF
DETROIT DIESEL	GM 149	146.05	WET, FF	FIAT	8040.04, 8060.04,8060.24	103	DRY, SF
DETROIT DIESEL	8.2	107.5	DRY, SF	FIAT	8025.02, 8035.02, 8035.04	100	DRY, SF
DETROIT DIESEL	71 SERIES	107.95	DRY, FF	FIAT	8035.02	100	DRY, SF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
FIAT	8035.02	100	DRY, SF	FIAT	450	95	DRY, SF
FIAT	8035.02	100	DRY, SF	FIAT	450	95	DRY, SF
FIAT	8035.02	100	DRY, SF	FORD	2000, 2600, 3000, 3600, 5000, 5600	106.68	DRY, SF
FIAT	8035.02	100	DRY, SF	FORD	2000, 2600, 3000, 3600, 5000, 5600	106.68	DRY, SF
FIAT	8025.02, 8035.02, 8035.04	99.8	DRY, SF	FORD	2000, 2600, 3000, 3600, 5000, 5600	106.68	DRY, SF
FIAT	8035.02	100	DRY, SF	FORD	D0910, D1010, D1020, 2701E, 2704E, 2709E, FO360	104.77	DRY, SF
FIAT	8045.01, 8035.01	95	DRY, FF	FORD	2704 (360T)	104.77	DRY, SF
FIAT	8045.01, 8035.01	95	DRY, SF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.76	DRY, SF
FIAT	CN3D, CO3D, CP380, CP3D	110	WET, FF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.778	DRY, SF
FIAT	8065.25	104	DRY, FF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.778	DRY, SF
FIAT	8035.02	100	DRY, SF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.778	DRY, SF
FIAT	8040.05, 8060.05	104	DRY, SF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.778	DRY, SF
FIAT	8065.25	104	DRY, SF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.778	DRY, SF
FIAT	8040.25	104	DRY, SF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.778	DRY, SF
FIAT	8040.05, 8060.05	104	DRY, SF	FORD	360 TURBO	104.775	DRY, FF
FIAT	8215.02, 22, 8215.02	137	DRY, FF	FORD	2704, 360 TURBO	104.77	DRY, FF
FIAT	697	137	DRY, FF	FORD	4000	110.4	DRY, SF
FIAT	697	137	DRY, FF	FORD	201CUIN, 4000	111.76	DRY, SF
FIAT	203A, 61, 203H, 61	130	DRY, SF	FORD	201CUIN, 4000	111.76	DRY, SF
FIAT	615	85	DRY, FF	FORD	120 (0.090)	81	DRY, FF
FIAT	615	85	DRY, SF	FORD	120	81	DRY, FF
FIAT	8040.05, 8060.05	104	DRY, SF	FORD	132	87.31	DRY, FF
FIAT	615	85	DRY, SF	FORD	201cuin, 4000, 4610, 7000, 5000, 6600, 8000, 8600, 9600, 9700	111.76	DRY, SF

CYLINDER LINER ®

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
FIAT	B25, 637	93	DRY, FF	FORD	172 CU INCH	99.06	DRY, FF
FIAT	M707BT, 149A154B, 160A, 280AM718AT, 835AM	82.6	DRY, SF	FORD	9N, 2N, 8N	80.95	DRY, FF
FORD	M4000	105	DRY, SF	HINO	EH100	105	DRY, FF
FORD	XD3P	94	DRY, FF	HINO	EB300	120	WET, FF
FORD	CORCEL, ESCORT	77	WET, FF	HINO	J08C, J08CT	114	DRY, FF
FORD	2708E, 2703E, 2703E	100	DRY, SF	HYUNDAI	8DC91, 8DC91A	135	DRY, FF
FORDSON MAJOR	592E	100	WET, FF	HYUNDAI	8DC90	135	WET, FF
FORDSON MAJOR	592E	100	WET, FF	HYUNDAI	4G62	79	DRY, SF
FORDSON MAJOR	592E, 4D, 6D, 590E	100	WET, FF	HYUNDAI	4D34	104	DRY, SF
GARDNER	LX, LXB	120.65	DRY, SF	HYUNDAI	H100	91.1	DRY, SF
GARDNER	LW	107.95	DRY, SF	HYUNDAI	H100, D4BB, D4BF	91.1	DRY, SF
GARDNER	LW	107.95	DRY, SF	HYUNDAI	4DR5, 6DR5	92	DRY, SF
HINO	EF 500, 550	135	WET, FF	HYUNDAI	4D31	100	DRY, SF
HINO	B	95	DRY, SF	HYUNDAI	3500	100	DRY, SF
HINO	B	95	DRY, FF	HYUNDAI	3500	100	DRY, SF
HINO	H06C	108	DRY, SF	HYUNDAI	4D32	104	DRY, SF
HINO	H06C	108	DRY, FF	HYUNDAI	3600	104	DRY, SF
HINO	W04D, W06D	104	DRY, FF	HYUNDAI	3600	104	DRY, SF
HINO	3B	102	DRY, FF	HYUNDAI	KE44, KE46	73.025	DRY, SF
HINO	3B	102	DRY, SF	HYUNDAI	4G41	76.2	DRY, SF
HINO	EH700, H07C	110	DRY, FF	HYUNDAI	4D33	108	DRY, SF
HINO	EH700, H07C	110	DRY, SF	HYUNDAI	H100	91.1	DRY, SF
HINO	EK100	137	WET, FF	HYUNDAI	6D22	130	WET, FF
HINO	EF750	137	WET, FF	IFA	W50	120	WET, FF
HINO	EH100	105	DRY, FF	INTERNATIONAL (IHC)	DT360	101.6	WET, FF
INTERNATIONAL (IHC)	DT360	101.6	WET, FF	INTERNATIONAL (IHC)	D179, D239, D358, DD179, DD239, UD179, UD358, DT239, DT358	98.425	WET, FF
INTERNATIONAL (IHC)	DT360	101.88	WET, FF	INTERNATIONAL (IHC)	DT 402, D 246, D 268	100	WET, FF
INTERNATIONAL (IHC)	DT466, 1440, 4100	109.22	WET, FF	INTERNATIONAL (IHC)	DT402, D246, D268	100	WET, FF
INTERNATIONAL (IHC)	DT466, 1440, 4100	109.22	WET, FF	INTERNATIONAL (IHC)	D206, D310	98.425	WET, FF
INTERNATIONAL (IHC)	DT466, 1440, DT360	109.26	WET, FF	INTERNATIONAL (IHC)	BD264, B450	101.6	DRY, FF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
INTERNATIONAL (IHC)	BD154	88.9	WET, FF	ISUZU	4EC1	76	DRY, SF
INTERNATIONAL (IHC)	9 L	114.3	DRY, SF	ISUZU	4JG2	95.4	DRY, FF
ISUZU	DA120	100	WET, FF	ISUZU	4JA1	93	DRY, SF
ISUZU	6BB1, 6BD1	102	DRY, SF	ISUZU	4JB1T	93	DRY, SF
ISUZU	C240, C190	86	DRY, SF	ISUZU	4BA1	98	DRY, SF
ISUZU	C223	88	DRY, SF	ISUZU	6BD1, 6BB1	102	DRY, SF
ISUZU	C223	88	DRY, FF	ISUZU	4HF1	112	DRY, SF
ISUZU	C223	88	DRY, SF	ISUZU	4HF1	112	DRY, SF
ISUZU	4HF1	112.1	DRY, FF	ISUZU	6HH1	115	DRY, SF
ISUZU	4HF1	112	DRY, FF	ISUZU	6HH1	115	DRY, FF
ISUZU	4HF1	112	DRY, SF	ISUZU	6HH1	115	DRY, SF
ISUZU	6HH1	115	DRY, SF	ISUZU	4BC2	102	DRY, FF
ISUZU	6HH1	115	DRY, SF	ISUZU	4BC2	102	DRY, SF
ISUZU	4JG2	95.4	DRY, SF	ISUZU	6HH1	110	DRY, SF
ISUZU	4FB1, 4FC1	84	DRY, SF	ISUZU	6HH1	110	DRY, FF
ISUZU	4JA1	93	DRY, FF	IVECO	4J	94.4	DRY, SF
ISUZU	4JB1	93	DRY, FF	IVECO	203A, 61	130	DRY, FF
ISUZU	6HE1	110	DRY, FF	IVECO	8460.41.320.406C, K, L	120	WET, FF
JAC	25	100.08	DRY, SF	JOHN DEERE	1520, JD410, 2030, 6600	102	WET, FF
JAC	26	105.03	DRY, SF	JOHN DEERE	1520, JD410, 2030, 6600	102	WET, FF
JOHN DEERE	3179D, 2040, 2140, 2150, 3179T, 4239D, 2350, 2355, 4239T, 310C, 6359D	106.5	WET, FF	JOHN DEERE	3179D, 2040, 2140, 2150, 3179T, 4239D, 2350, 2355, 4239T, 310C, 6359D, T	106.5	WET, FF
JOHN DEERE	4267D, 4267T	106.5	WET, FF	JOHN DEERE	3179D, 2040, 2140, 2150, 3179T, 4239D, 2350, 2355, 4239T, 310C, 6359D, T	106.5	WET, FF
JOHN DEERE	3179D, 2040, 2140, 2150, 3179T, 4239D, 2350, 2355, 4239T, 310C, 6359D, T	106.525	WET, FF	JOHN DEERE	4276D, 4276T, 6414D, 6414T	106.5	WET, FF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
JOHN DEERE	3179D, 2040, 2140, 2150, 3179T, 4239D, 2350, 2355, 4239T, 310C, 6359D, T	106.5	WET, FF	KAMAZ	V8	120	WET, FF
JOHN DEERE	3152D, 4202D, 6303D	98	WET, FF	KIA	JD K3500	100	DRY, FF
JOHN DEERE	3152D, 4202D, 6303D	98	WET, FF	KIA	JD K3500, K3600	100	DRY, SF
KIA	S2	88.9	DRY, SF	KIA	EF 750	137	WET, FF
KIA	2.4, BONGO, 2200 CC, S2	88.9	DRY, FF	KIA	3 PREGIO	98.013	DRY, FF
KIA	2.7PREGIO	94.5	DRY, FF	KIA	3 PREGIO	98.013	DRY, SF
KIA	2.7PREGIO	94.5	DRY, SF	KIA	3 PREGIO	98.013	DRY, FF
KIA	2.7PREGIO	94.5	DRY, SF	KIA	R2	86	DRY, SF
KIA	2.7BESTA	93.013	DRY, SF	KIA	2400	92	DRY, SF
KIA	2.7BESTA	93	DRY, FF	KIA	2400	92	DRY, FF
KIA	ZB	92	DRY, FF	KOMATSU	BEPC2203, S6D 105, 6D 105, S4D 105, 4D 105	105	WET, FF
KIA	K2400	92	DRY, FF	KOMATSU		95	WET, FF
KIA	K2400	92	DRY, SF	KOMATSU	D30E16B, D50A15C	97.5	WET, SF
KOMATSU	4 D 105.1, 6 D 105.1, 6 D 105.2	105	WET, FF	KOMATSU	6D 125, BD65	125	WET. FF
KOMATSU	4 D 105.1, 6 D 105.1, 6 D 105.2	105	WET, FF	L.I.	DANYA	102	DRY, SF
KOMATSU	S6D 125, BE300	125	WET, FF	LANCIA	831D.000	82.6	DRY, SF
LANDROVER	10J, 12J, 19J	90.475	DRY, SF	LEYLAND	4.98, 6.98	98	WET, FF
LEYLAND	4.98, 6.98	98	WET, FF	LEYLAND	400, 401, 402 N A, 410T, 411T, 420T	107.23	DRY, SF
LEYLAND	400, 401, 402 N A, 410T, 411T, 420T	107.22	DRY, FF	LEYLAND	0680 PP	127	DRY, FF
LEYLAND	12J	90.475	DRY, SF	LISTER	HR	108	AIR COOLED
LISTER	SR	88.9	AIR COOLED	LISTER	L.D.	76	DRY, SF
LISTER	ST1	95.25	AIR COOLED	MACK	E7	123.83	WET, FF
LISTER	LR	76.2	AIR COOLED	MACK	E7	123.83	WET, FF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
MACK	ENDT673, 5, 6 ETZB673E, ETYB673E, ENDTB675C, E6- 200	123.83	DRY, FF	MAN	D0824, D0826	108	DRY, SF
MAN	DO 836, DO 846	108	DRY, FF	MAN	D0824	108	DRY, SF
MAN	D0824	108	DRY, FF	MAN	D0824, D0826	108	DRY, FF
MAN	D0824	108	DRY, SF	MAN	D 2866	128	WET, FF
MAN	D 2842, D 2840, D 2848	128	WET, FF	MAN	D0824	108	DRY, FF
MAN	D2555, SL200, D 2556, D 2565	125	WET, FF	MASSEY FERGUSON	A4.212	98.476	DRY, FF
MAN	D2555, SL200, D 2556, D 2565	125	WET, FF	MASSEY FERGUSON	MF35, MF135 PETROL	87	WET, FF
MASSEY FERGUSON	MF35, MF135 PETROL	87	WET, FF	MAZDA	B2200	86	DRY, FF
MASSEY FERGUSON	MF 35 4 CYL.	84.14	DRY, FF	MAZDA	T3000, E3000	95	DRY, SF
MAZDA	B2200	86	DRY, SF	MAZDA	T3000, E3000	95	DRY, FF
MAZDA	SL, T3500, T45	100	DRY, FF	MAZDA	3500	100	DRY, SF
MAZDA	SL, T3500, T45	100	DRY, SF	MAZDA	3500	100	DRY, SF
MAZDA	3500	100	DRY, SF	MAZDA	3600	100	DRY, SF
MAZDA	S2	88.9	DRY, SF	MAZDA	XA E2500	88.9	DRY, SF
MAZDA	S2	88.9	DRY, SF	MAZDA	JS	94.5	DRY, FF
MAZDA	S2	88.9	DRY, FF	MAZDA	W9	95	DRY, SF
MAZDA	2500	88.9	DRY, FF	MAZDA	R2	86	DRY, FF
MAZDA	R2	86	DRY, SF	MAZDA	WL	92.2	DRY, FF
MAZDA	RF	86	DRY, SF	MAZDA	WL	92.2	DRY, SF
MAZDA	RF	86	DRY, SF	MAZDA	WL	93	DRY, SF
MAZDA	RF	86	DRY, FF	MAZDA	WL	93	DRY, SF
MAZDA	WL	93	DRY, FF	MAZDA	HA E3000, HA T3000	95	DRY, SF
MAZDA	HA E3000, HA T3000	95	DRY, SF	MAZDA	HA E3000, HA T3000	95	DRY, SF
MAZDA	TF T4000	105.5	DRY, SF	MAZDA	TF T4000	105.5	DRY, FF
MAZDA	TF T4000	105.5	DRY, SF	MAZDA	1600	78	DRY, SF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
MAZDA	1600	78	DRY, SF	MAZDA	R2	86	DRY, FF
MAZDA	1600	78	DRY, SF	MAZDA	4100	109	DRY, SF
MAZDA	SP	78	DRY, SF	MAZDA	4100	109	DRY, FF
MAZDA	R2	86	DRY, SF	MAZDA	HA E3000, HA T3000	95	DRY, FF
MAZDA	R2	86	DRY, SF	MAZDA	HA E3000, HA T3000	95	DRY, FF
MAZDA	SL, T3500	100	DRY, FF	MAZDA	R2	86	DRY, FF
MAZDA	S2	88.9	DRY, FF	MAZDA	XB, ZB	92	DRY, FF
MAZDA	XA	88.9	DRY, FF	MAZDA	XB, ZB	92	DRY, SF
MAZDA	R2	86	DRY, SF	MERCEDES BENZ	OM 602	89	DRY, SF
MERCEDES BENZ	OM 602	89	DRY, SF	MERCEDES BENZ	OM 616, OM 617	91	DRY, SF
MERCEDES BENZ	OM 616, OM 617	91	DRY, SF	MERCEDES BENZ	OM 314, OM 352, OM 352A	97	DRY, SF
MERCEDES BENZ	OM 616, OM 617	90.9	DRY, SF	MERCEDES BENZ	OM 314	97	DRY, SF
MERCEDES BENZ	OM 616, OM 617	90.9	DRY, SF	MERCEDES BENZ	OM 452, OM 352	97	DRY, SF
MERCEDES BENZ	OM 352A	97	DRY, FF	MERCEDES BENZ	OM 352	97	DRY, SF
MERCEDES BENZ	OM 352, OM 352A	97	DRY, SF	MERCEDES BENZ	OM 452	97	DRY, SF
MERCEDES BENZ	OM 314, OM 352, OM 366, OM 364	97.5	DRY, SF	MERCEDES BENZ	OM 452	97	DRY, SF
MERCEDES BENZ	OM 352	97	DRY, SF	MERCEDES BENZ	OM 452	97	DRY, SF
MERCEDES BENZ	OM 355	128	DRY, SF	MERCEDES BENZ	OM 355	128	DRY, SF
MERCEDES BENZ	OM 447, OM 477, OM 449	128	WET, FF	MERCEDES BENZ	OM 447 LA, 449A	128	WET, FF
MERCEDES BENZ	OM 422	128	WET, FF	MERCEDES BENZ	OM 457	128	WET, FF
MERCEDES BENZ	OM 615.913, 915, 615.910	87	DRY, SF	MERCEDES BENZ	OM 601.911, 912	87	DRY, SF
MERCEDES BENZ	OM 601.911, 912	87	DRY, SF	MERCEDES BENZ	OM 601.911, 912	87	DRY, SF
MERCEDES BENZ	OM 424, 424A, 424LA, 441A, 441Euro1, 441LA, 441Euro1 & 2, 442A, 442LA, 442LA, 443A Turbocharged, 444LA	128	WET, FF	MERCEDES BENZ	OM 421, 422	128	WET, FF
MERCEDES BENZ	OM 421, OM 424	128	WET, FF	MERCEDES BENZ	OM 423, OM 422, OM 442	128	WET, FF
MERCEDES BENZ	OM 421, OM 442, OM 424	128	WET, FF	MERCEDES BENZ	OM 904, OM 906	102	DRY, SF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
MERCEDES BENZ	OM 401, OM 402, OM403	125	WET, FF	MERCEDES BENZ	OM 443, 444	130	WET, FF
MERCEDES BENZ	OM 403	125	WET, FF	MERCEDES BENZ	OM 409, A, HA, H, OM 407	125	WET, FF
MERCEDES BENZ	OM 403, OM 404, OM 401, OM 402	125	WET, FF	MERCEDES BENZ	OM 421, OM 424, OM 409, A, HA, H, OM 407	125	WET, FF
MERCEDES BENZ	OM 401, OM 402, OM 403	125	WET, FF	MERCEDES BENZ	OM 541, OM 542, OM 941, OM 942, OM 501LA, ACTROS	130	WET, FF
MERCEDES BENZ	M110	85	DRY, SF	mitsubishi	6D15	113.017	WET, FF
MERCEDES BENZ	OM 360	115	DRY, SF	mitsubishi	8DC91, 8DC91A	135	DRY, FF
MIDLAND	1300	68.84	DRY, SF	mitsubishi	6D15	113.017	WET, SF
MISTUBISHI LANCER	4G32	77	DRY, SF	mitsubishi	G12 GOLD	74.5	DRY, SF
mitsubishi	4D30, 4D31	100	DRY, SF	mitsubishi	4D55, 4D56	91.1	DRY, FF
mitsubishi	4D30, 4D31	100	DRY, FF	mitsubishi	4D55, 4D56	91.1	DRY, SF
mitsubishi	4D34	104	DRY, SF	mitsubishi	4D55, 4D56	91.1	DRY, SF
mitsubishi	4D34, 4D34T	104	DRY, FF	mitsubishi	4DR5, 6DR5	92	DRY, SF
mitsubishi	4DR5, 6DR5	92	DRY, FF	mitsubishi	4D32	104	DRY, FF
mitsubishi	4D30, 4D31	100	DRY, SF	mitsubishi	6D16T	118	DRY, FF
mitsubishi	4D30, 4D31	100	DRY, FF	mitsubishi	6D16	118	DRY, FF
mitsubishi	4D32	104	DRY, SF	mitsubishi	6D16	118	DRY, SF
mitsubishi	4M40	95	DRY, FF	mitsubishi	4G30, 4G36, KE44, KE46	73.025	DRY, SF
mitsubishi	4M40	95	DRY, SF	mitsubishi	4G41	76.2	DRY, SF
mitsubishi	6D14	110	WET, FF	mitsubishi	4D33	108	DRY, SF
mitsubishi	6D14	110	WET, SF	mitsubishi	G11 GOLD	69	DRY, SF
mitsubishi	6D22	130	WET, FF	NISSAN	A12	73.5	DRY, SF
mitsubishi L200	L200	85.5	DRY, SF	NISSAN	A14	76.5	DRY, SF
MWM	D229	102	WET, FF	NISSAN	SD23, SD25	89	DRY, SF
NISSAN	SD23, SD25	89	DRY, FF	NISSAN	TD25	92.9	DRY, FF
NISSAN	TD23	89	DRY, FF	NISSAN	TD27	96	DRY, SF
NISSAN	TD25	92.9	DRY, SF	NISSAN	ND6	110	DRY, FF
NISSAN	ND6	110.04	DRY, SF	NISSAN	PD6, PD6T	125	DRY, FF

CYLINDER LINER ®

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
NISSAN	PD6, PD6T	125	DRY, SF	NISSAN	FD35	102.5	WET, FF
NISSAN	FD6, FD6T	100	WET, FF	NISSAN	BD30T, BD30	96	DRY, FF
NISSAN	FD6, FD6T	100	WET, FF	NISSAN	BD30T, BD30	96	DRY, SF
NISSAN	FE6T	108	DRY, SF	NISSAN	ED33	100	WET, SF
NISSAN	FD46	108	DRY, SF	NISSAN	PE6(T)	133	DRY, FF
NISSAN	PE6(T)	133	DRY, SF	NISSAN	SD 22	83	DRY, FF
NISSAN	PE6TB	133	DRY, FF	NISSAN	SD22	83	DRY, SF
NISSAN	QD32	99.2	DRY, SF	NISSAN	LD20, L18, RD28, Z20	85	DRY, SF
NISSAN	QD32	99.2	DRY, SF	NISSAN	CA18, L23	82.55	DRY, SF
NISSAN	QD32	99.2	DRY, FF	NISSAN	CA18, L23	82.55	DRY, SF
NISSAN	J15	78	DRY, SF	NISSAN	TD25	92.9	DRY, FF
NISSAN	A14, A5, E13	75.08	DRY, SF	NISSAN	TD27	96	DRY, SF
NISSAN	CD17	80	DRY, SF	NISSAN	TD27	96	DRY, SF
NISSAN	CD17	80	DRY, FF	NISSAN	TD27	96	DRY, FF
NISSAN	LD28, CD20	84.5	DRY, SF	NISSAN	ND6	110	DRY, SF
NISSAN	ND6	110	DRY, FF	NISSAN	TD23	89	DRY, SF
NISSAN	PD6, PD6T	125	DRY, SF	NISSAN	ND6	110.04	DRY, FF
NISSAN	PD6, PD6T	125	DRY, FF	NISSAN	FD6	100	WET, FF
NISSAN	FD35	102.5	WET, FF	NISSAN	FD6, FD6T	100	WET, FF
NISSAN	SD23, SD25	89	DRY, SF	NISSAN	FE6, FE6T	108	DRY, FF
NISSAN	TD27, TD42	96	DRY, FF	NISSAN	ED33	100	WET, FF
NISSAN	TD27, TD42	96	DRY, SF	NISSAN	PE6	133	DRY, FF
NISSAN	FD35	102.5	WET, FF	NISSAN	SD22, SD20, SD33	83	DRY, SF
NISSAN	SD22	83	DRY, SF	NISSAN	H20	87.3	DRY, SF
NISSAN	LD20	85	DRY, FF	NISSAN	J15	78	DRY, SF
NISSAN	A10, A12, A13, J13	73.025	DRY, SF	NISSAN	J15	78	DRY, FF
NISSAN	CA18, L23	82.55	DRY, SF	NISSAN	CD17	80	DRY, SF
NISSAN	P	85.725	DRY, SF	PERKINS	4.212, 4.236, 6.354	98.476	DRY, FF
NISSAN	Z24	88.9	DRY, SF	PERKINS	3.152, 3.152D, 4.203D,	91.49	DRY, FF
NISSAN	Z24	88.9	DRY, FF	PERKINS	4.192, 3.152, 3.152D, 4.203D	89	DRY, SF

CYLINDER LINER ®

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
PERKINS	4.192, 3.152, 3.152D, 4.203D	89	DRY, FF	PERKINS	4.212, 4.236, 6.354	98.476	DRY, SF
PERKINS	4.192, 3.152, 3.152D, 4.203D	91.49	DRY, SF	PERKINS	4.212, 4.236, 6.354	98.476	DRY, SF
PERKINS	3.152, 4.203	91.491	DRY, SF	PERKINS	4.212, 4.236, 6.354	98.476	DRY, SF
PERKINS	3.152, 4.203	91.491	DRY, SF	PERKINS	4.212, 4.236, 6.354	98.476	DRY, SF
PERKINS	4.212, 4.236, 6.354	98.476	DRY, SF	PERKINS	4.212, 4.236, 6.354	98.476	DRY, FF
PERKINS	4.236	98.476	DRY, SF	PERKINS	4.248	101.1	DRY, SF
PERKINS	4.248	101.054	DRY, SF	PERKINS	4.248,MF275	101.05	DRY, SF
PERKINS	4.248	101	DRY, SF	PERKINS	4.248, MF275	101.054	DRY, FF
PERKINS	4.248	101.054	DRY, FF	PERKINS	6.354, 4.212	98.476	DRY, SF
PERKINS	4.248	101	DRY, FF	PERKINS	6.354	98.47	DRY, FF
PERKINS	6.354, 4.212	98.47	DRY, SF	PERKINS	3.152, 4.203.2	91.491	DRY, FF
PERKINS	4.236, 6.354	98.47	DRY, SF	PERKINS	3.152	91.491	DRY, SF
PERKINS	4.248	101.054	DRY, FF	PERKINS	3.152	91.491	DRY, SF
PERKINS	4.248	101.054	DRY, SF	PERKINS	3.152D	91.49	DRY, FF
PERKINS	4.248	101.054	DRY, SF	PERKINS	3.152	91.49	DRY, FF
PERKINS	8140.27	93	DRY, SF	PERKINS	4.236	98.5	DRY, FF
PERKINS	4.236, 4.212	98.47	DRY, FF	PERKINS	4.40, 1004, 1006	100	DRY, SF
PERKINS	1000 SERIES	100	DRY, FF	PERKINS	4.40, 1004, 1006	100	DRY, FF
PERKINS	4.40, 1004, 1006	100	DRY, FF	PERKINS	1000 SERIES	100	DRY, FF
PERKINS	1000 SERIES	100	DRY, SF	PERKINS	1000 SERIES	100	DRY, SF
PERKINS	4.212, 4.236, 6.354	98.476	DRY, SF	PERKINS	4.318	114.31	DRY, SF
PERKINS	TE 20 PETROL	85.01	WET, FF	PERKINS	4.318	114.31	DRY, SF
PERKINS	4.248, MF275	101.054	DRY, SF	PERKINS	4.108	79.37	DRY, SF
PERKINS	6.354, 4.212	98.476	DRY, FF	PERKINS	3.152, 4.203.2	91.491	DRY, FF
PERKINS	6.354, 4.212	98.476	DRY, SF	PERKINS	3.152, 4.203.2	91.491	DRY, FF
PERKINS	4.248	101.054	DRY, SF	PERKINS	4.236, 4.212	98.47	DRY, SF
PERKINS	3.152	91.491	DRY, SF	PERKINS	4.236, 4.212	98.47	DRY, FF
PERKINS	3.152	91.491	DRY, SF	PERKINS	4.40, 1004, 1006	100	DRY, FF
PERKINS	4.40, 1004, 1006	100	DRY, SF	PERKINS	6.354, 4.212, 4.236	98.476	DRY, FF
PERKINS	6.354, 4.212, 4.236	98.476	DRY, FF	PERKINS	4.248, MF 294, MF 390, MF 3060	101.054	DRY, FF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
PERKINS	4.248	101.054	DRY, SF	PERKINS	4.165	92	DRY, SF
PERKINS	4.192, 6.288, P4, P6	88.92	DRY, SF	PETTER	PH1	87.3	DRY, FF
PERKINS	4.192, 6.288, P4, P6	88.92	DRY, FF	PETTER	PH1	87.465	WET, FF
PERKINS	4.318	114.31	DRY, FF	PEUGEOT	XD4-88	84	WET, FF
PERKINS	4.318	114.31	DRY, SF	PEUGEOT	505, 505XN1, XN2	88	WET, FF
PEUGEOT	404	84	DRY, SF	PEUGEOT	505D	94	DRY, FF
PEUGEOT	504, XN1, XN2	88	DRY, SF	PEUGEOT	505D	94	DRY, SF
PEUGEOT	XC7, XC7P, XM7P	84	DRY, SF	PEUGEOT	XD2S	94	DRY, FF
PEUGEOT	XC7, XC7P, XM7P	84	DRY, SF	PEUGEOT	505D, 1304	94	DRY, SF
PEUGEOT	505D	94	DRY, SF	PEUGEOT	J5	93	DRY, SF
PEUGEOT	J5, 35D	93	DRY, FF	RENAULT	1.9D	80	DRY, SF
PEUGEOT	XD90	90	WET, FF	RENAULT	G50800 1.9DSP	80	DRY, SF
RENAULT	R6, R12, R18	76	WET, FF	RENAULT	R9, TXE, - 11TXE, 18GTS1	77	WET, FF
RENAULT	R5, R12, R12TS, R15	73	WET, FF	RUMANIA	U 50, 500	108	WET, FF
RENAULT	R5	73	WET, FF	SAVIEM	100	100	WET, FF
SCANIA	D 8, DS 8	115	WET, FF	SCANIA	DSC11, DS11	127	WET, FF
SCANIA	94 SERIES DSC9-02	115	WET, FF	SCANIA	DS11, DSC11	127	WET, FF
SCANIA	DS 14	127	WET, FF	SCANIA	DSC11, DS11	127	WET, FF
SCANIA	D 11, DS 11	127	WET, FF	SCANIA	DN9, DS9.01, DSC9.01/.02, DS 9.05/.06/.08	115	WET, FF
SCANIA	D113	127	WET, FF	SKODA	OCTAVIA	81	DRY, SF
SCANIA	DSC 11, DSC 12	127	WET, FF	STEYR	WD208, WD308, WD311, WD408, WD411, WD611	100	WET, FF
SCANIA	DSC 12.01	127	WET, FF	TATA	1516, 1612	97	DRY, SF
SCANIA	DC12	127	WET, FF	TATA	697, 709	97	DRY, SF
TATA	1313	97	DRY, SF	TATA	1210 DI	92	DRY, SF
TATA	697, 709, 1312, 1612	97.07	DRY, FF	TATA	407	97	DRY, SF
TATA	697, 709, 1312, 1612	97.07	DRY, FF	TATRA	1Z, 1KZ	96	DRY, FF

CYLINDER LINER[®]

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
TOYOTA	L	90	DRY, SF	TOYOTA	2L, 2LT	92	DRY, FF
TOYOTA	L	90	DRY, FF	TOYOTA	2L, 2LT	92	DRY, FF
TOYOTA	2L, 2LT	92	DRY, FF	TOYOTA	2L, 2LT	92	DRY, SF
TOYOTA	2L, 2LT	92	DRY, SF	TOYOTA	B, BU30	95	DRY, SF
TOYOTA	2L, 2LT	92	DRY, SF	TOYOTA	B, BU30	95	DRY, SF
TOYOTA	B	95	DRY, FF	TOYOTA	5L	99.5	DRY, SF
TOYOTA	DA110, DA115	105	DRY, FF	TOYOTA	5L	99.5	DRY, FF
TOYOTA	2D 4Ring	105	DRY, SF	TOYOTA	3L	96	DRY, SF
TOYOTA	2D 5Ring	105	DRY, SF	TOYOTA	3L	96	DRY, SF
TOYOTA	DA110, DA115	105	DRY, FF	TOYOTA	14B	102	DRY, SF
TOYOTA	14B	102	DRY, SF	TOYOTA	1Y, 2Y, 3Y, 6R, 7R, 8R	86	DRY, SF
TOYOTA	1HZ	94	DRY, SF	TOYOTA	1Y, 2Y, 3Y, 6R, 7R, 8R	86	DRY, FF
TOYOTA	1HZ	94	DRY, FF	TOYOTA	1C	83	DRY, FF
TOYOTA	1Z, 1KZ	96	DRY, SF	TOYOTA	1C	83	DRY, SF
TOYOTA	1Z, 1KZ	96	DRY, SF	TOYOTA	2T	85	DRY, SF
TOYOTA	22R	92	DRY, SF	TOYOTA	12R	80.5	DRY, FF
TOYOTA	HILUX	92	DRY, SF	TOYOTA	12R	80	DRY, SF
TOYOTA	2C	86	DRY, SF	TOYOTA	1Z, 1KZ	96	DRY, SF
TOYOTA	H, 2J	88	DRY, SF	TOYOTA	L	90	DRY, SF
TOYOTA	H	87.25	DRY, SF	TOYOTA	L	90	DRY, FF
TOYOTA	2L, 2LT	92	DRY, SF	TOYOTA	B	95	DRY, FF
TOYOTA	2L, 2LT	92	DRY, SF	TOYOTA	2D 5Ring	105	DRY, FF
TOYOTA	B, BU30	95	DRY, SF	TOYOTA	2D 4Ring	105	DRY, FF
TOYOTA	1W	104	DRY, FF	TOYOTA	3L	96	DRY, FF
TOYOTA	1W	104	DRY, SF	TOYOTA	3L	96	DRY, SF
TOYOTA	B	95	DRY, FF	TOYOTA	3L	96	DRY, FF
TOYOTA	B	95	DRY, FF	TOYOTA	3L	96	DRY, SF
TOYOTA	11B	95	DRY, SF	TOYOTA	14B	102	DRY, SF
TOYOTA	B	95	DRY, SF	TOYOTA	14B	102	DRY, SF
TOYOTA	14B	102	DRY, FF	TOYOTA	13B, 3B	102	DRY, FF
TOYOTA	1HZ	94	DRY, SF	TOYOTA	13B, 3B	102	DRY, SF

CYLINDER LINER ®

OEM	ENGINE MODEL	BORE(mm)	TYPE	OEM	ENGINE MODEL	BORE(mm)	TYPE
TOYOTA	13B, 3B	102	DRY, FF	TOYOTA	2M	74.981	DRY, FF
TOYOTA	13B, 3B	102	DRY, SF	TOYOTA	3K, 4K, 1GE	75	DRY, SF
TOYOTA	2E, L	73	DRY, SF	TOYOTA	22R	92	DRY, SF
TOYOTA	1Z, 1KZ	96	DRY, SF	TOYOTA	22R	92	DRY, FF
TOYOTA	1Z, 1KZ	96	DRY, SF	TOYOTA	B	95	DRY, SF
TOYOTA	2H	91	DRY, SF	TOYOTA	H, 2J	88	DRY, SF
TOYOTA	2H	91	DRY, FF	TOYOTA	H	88	DRY, FF
TOYOTA	2H	91	DRY, SF	TOYOTA	2B	98	DRY, SF
TOYOTA	15B, 15BT	108	DRY, SF	TOYOTA	4A, GE, 4A-L, 4A-F	81	DRY, SF
TOYOTA	2C	86	DRY, FF	TOYOTA	1Z, 1KZ	96	DRY, FF
UNIVERSALL	532	102	DRY, SF	VOLKSWAGEN	1.6, 2.0, 2.4 L	76.5	DRY, SF
URSUS	C-335, 2 CYL.	102	WET, FF	VOLKSWAGEN	1.6, 2.0, 2.4 L	76.5	DRY, SF
URSUS	C-360	95	WET, FF	VOLKSWAGEN	1.9 L	79.5	DRY, SF
VOLKSWAGEN	1600 CC	85.5	AIR COOLED	VOLVO	TD71	104.775	WET, FF
VOLKSWAGEN	1900CC	94	WET, FF	VOLVO	D12A	131	WET, FF
VOLVO	D12B, D12C, D12D	131	WET, FF	VOLVO	TD101	120.64	WET, FF
VOLVO	07B	120	WET, FF	VOLVO	TD100G, 101G, THD100, F10, N10	120.64	WET, FF
VOLVO	TD100B	120.64	WET, FF	VOLVO	TD102F, FS, F10	120.65	WET, FF
VOLVO	TD100A	120.64	WET, FF	VOLVO	TD100G, 101G, THD100, F10, N10	120.64	WET, FF
VOLVO	TD 60	98.4	WET, FF	VOLVO	TD121	130.18	WET, FF
VOLVO	PENTA	92	WET, FF	VOLVO	TD122	130.18	WET, FF
VOLVO	TD123ES	130.17	WET, FF	VOLVO	TD121G	130.17	WET, FF
VOLVO	TD120	130.18	WET, FF	VOLVO	TD122FS	130.17	WET, FF
VOLVO	TD121	130.18	WET, FF	ZETOR	HMT 5911	100	WET, FF
VOLVO	TD121G	130.17	WET, FF	ZETOR	8011	110	WET, FF
VOLVO	TD70	104.77	WET, FF	ZETOR	HMT 4511	102	WET, FF
ZETOR	3511, 2011, 2511	95	WET, FF	ZETOR	SUPER 25	105	WET, FF
ZETOR	SUPER 50, H-50	105	WET, FF				

**ADMINISTRATIVE OFFICE :**

DEEP BHOJWANI
212, PANCHNATH COMMERCIAL
CENTER,
GPO BOX NO. 219,
DR. RAJENDRA PRASAD ROAD,
HARIHAR CHOWK,
RAJKOT - 360 001.
MOB. - 91+98258 05003

OUR VALUED CLIENT'S ARE ROUND THE

www.indogermanind.com & www.indogermanind.in

QUALITY

INDO GERMAN IND. commitment to quality is evident in every aspect of our business. Our quality system is ISO 9001:2008 certified. We thoroughly inspect every part for potential defects and have procedures in place to ensure accurate order fulfillment, proper packing and full traceability of all items shipped. For our overseas customers, this means we take extra care to ensure that Products are packed properly to protect against damage from weather and handling. Our perfect standards ensure that we sell or supply only the highest quality parts -which results in better performance, and ultimately leads to improved operating efficiency and lower costs. We know how important quality parts are to our customers overall bottom line, and make sure we exceed their expectations.

MANUFACTURING UNIT 1:

BHUSHAN BHOJWANI
2ND STREET,
UMAKANT PANDIT
UDHYOGNAGAR, MAVDI PLOT,
RAJKOT - 360 004.
MOB.- 91+9824042902

**MANUFACTURING UNIT 2:**

BHUSHAN & DEEP
PLOT NO, 12, SURVEY NO.236,
BEHIND VIKAS STOVE,
VERAVAL SHAPER,
DIST. RAJKOT.
PH. +91+281+2475902

CANADA

SUKHDEEP SINGH
1055 BLOOR ST E,
PH - 03 MISSISSAUGA,
ONTARIO L4Y 2N5,
CA.
Mob.- 001-647-291-3153

GRAM: INDOGERMAN

MAIL: igi@indogermanind.com

Copyrights © 2012 Indo German Industries. All rights Reserved.

